



Llywodraeth Cymru
Welsh Government

STATISTICS

Testing data for coronavirus (COVID-19): up to 27 September 2020

Management information update on coronavirus testing up to 27 September 2020.

First published: 30 September 2020

Last updated: 30 September 2020

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

Contents

1. National headline figures

2. Turnaround times for antigen tests

3. Critical workers and residents antigen tests

4. Critical workers and residents antibody tests

5. Background

6. Quality and methodology information

7. Contact details

1. National headline figures

This statistical release summarises weekly coronavirus (COVID-19) testing information provided by Public Health Wales and NHS Wales Informatics Service (NWIS). This includes information on the number of antigen tests including a breakdown by key worker and residents where key workers are employed, turnaround times of antigen tests and the number of antibody tests for key workers and residents.

There are currently two types of tests used to test for coronavirus (COVID-19), the antigen test and the antibody test. The antigen (swab) test is used to test whether someone with symptoms has coronavirus. The type of test processed through Welsh laboratories involves a 'single dry swab' taken from the back of the throat. The type of test processed through English laboratories involves 'two wet swab' sample collections taken from the nose and throat.

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

COVID-19 antibody tests are used to find out whether a person has previously had the virus. The antibody test works by taking a blood sample and testing for the presence of antibodies. Antibodies are produced by the body in response to an infection and can usually be found in the blood after around 2 weeks following infection. Some local health boards are now using lateral flow tests, which are finger prick antibody tests with the sample not analysed in a laboratory.

The data are taken from management information and are subject to change. They have not been subject to the same validation processes undertaken for official statistics releases. We are publishing these data to provide a weekly summary of testing activity in Wales, including tests on critical workers, residents and the timeliness of tests. This statistical release is evolving and we appreciate feedback to improve the content.

Accompanying tables for this release are available separately, including all the data shown in this release and historical data.

Our data explainer titled **Understanding data on coronavirus (COVID-19) testing** provides further explanation on the data used including the difference in dates and data sources.

Following changes in the source data provided by non-NHS Wales Laboratories, the data interpretation to allocate tests to different pathways was no longer fully functioning. An interim solution covering the latest four weeks has been put in place while a permanent solution is being implemented by NWIS. Whilst the methodology is robust, this management information is subject to revision.

Main results

- Antigen lab capacity in NHS Wales laboratories was 15,167 as at 27 September 2020. This does not include capacity at UK laboratories where some Welsh residents' samples are processed.
- As at 1pm on 27 September 2020, there have been 807,116 antigen tests authorised for Welsh residents.
- There have been a total of 428,359 antigen tests performed on critical

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

workers and residents where critical workers are employed in Wales.


- Up to the end of 27 September 2020, 85,075 antibody tests have been authorised for Welsh residents with 9,217 positive results.

In the latest week:

- 79% of tests requiring a rapid turnaround were completed within one calendar day*
- 73% of community and mass testing in person tests and 82% of hospital tests processed in NHS Wales laboratories were authorised in one day
- 81% of community tests processed in non-NHS Wales laboratories were authorised in one day*
- 7% of tests via the organisation portal and 24% of home tests were authorised within one day. (See [Understanding data on coronavirus \(COVID-19\) testing](#) for more information about test location categories)

* Tests requiring a rapid turnaround time are samples collected at hospitals, community and mass testing: in person sites processed in NHS Wales laboratories and samples collected at community test centres processed in non-NHS Wales laboratories.

Chart 1: Total number of antigen tests authorised through NHS Wales and non-NHS Wales laboratories at 1pm on 27 September 2020



Source: Public Health Wales

Total number of antigen tests authorised through NHS Wales and non-NHS Wales laboratories at 1pm on 27 September 2020 (MS Excel)

Data for 27 September only includes results authorised up to 1pm.

Public Health Wales have finalised their work to bring together tests authorised in non-NHS Wales (Lighthouse) laboratories with NHS Wales laboratory processed tests. Chart 1 shows the number of tests authorised in both NHS Wales and non-NHS Wales laboratories.

- The highest number of tests authorised in a single calendar day was on 24 September, where 11,870 tests were authorised in NHS Wales and non-NHS Wales laboratories.
- These figures include tests processed through laboratories outside NHS Wales, which includes tests for Welsh residents taken at testing centres in England, testing centres in Wales, tests ordered through the organisation portal and home testing kits.
- The first sample processed by a non-NHS Wales laboratory for a Welsh

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

resident was on 24 April. Testing increased with the roll out of home testing on 18 May.

- Tests processed through non-NHS Wales laboratories began to increase towards the end of June. This is largely due to Welsh residents beginning to book tests through the newly available organisation portal.

Table 1: Weekly number of tests authorised in NHS Wales and non-NHS Wales laboratories as at end 27 September 2020

Week commencing	Number of tests authorised
22 June 2020	34,859
29 June 2020	37,551
06 July 2020	39,237
13 July 2020	38,602
20 July 2020	37,782
27 July 2020	41,217
03 August 2020	40,151
10 August 2020	39,886
17 August 2020	36,174
24 August 2020	35,498
31 August 2020	45,305

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

Week commencing	Number of tests authorised
07 September 2020	64,170
14 September 2020	69,945
21 September 2020	66,596

Source: Public Health Wales rapid surveillance dashboard

The number of tests authorised within the last week is slightly lower than the previous week, however, only results up to 1pm are included on Sunday 27 September. Public Health Wales update this data daily and the latest week will increase when tests authorised after 1pm are included.

This data is extracted from Public Health Wales' rapid surveillance dashboard on 28 September at 2pm. These tests do not include results which were not positive or negative, for example indeterminate results and may differ from totals presented in other tables where indeterminate results are included. In the latest week only tests up to 1pm on the Sunday are included, this is updated daily and presented on the [Public Health Wales surveillance dashboard](#).

2. Turnaround times for antigen tests

The figures shown are measured from the date a sample is recorded as being collected to the time the result is authorised. It does not indicate how long it takes for an individual to receive their result from point of testing.

Data on the time taken to receive a COVID-19 test result is split by testing route, as this will have an impact on the time taken to complete the test processing. Home tests need to be posted and couriered to the laboratory. Screening tests in settings such as care homes may be completed in batches of tests across different staff shifts before returning the tests by courier. These methods can have an impact on the turnaround time of the test. Screening care home tests

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).


processed by NHS Wales laboratories are included in the satellite asymptomatic screening of key workers figures.

We have split out the community tests by the different pathways, with tests completed due to clinical need reported separately to tests completed to screen individuals who have been identified as asymptomatic key workers or residents. Although the term satellite is used, some of the screening tests of asymptomatic keyworkers or residents included in this category may be conducted in person as part of wider mass and community testing. Further work is needed to fully understand this distinction and may lead to some reallocation of tests between categories in future releases.

Further information can be found in our data explainer including what is included in the each location category: [Understanding data on coronavirus \(COVID-19\) testing](#).

Previously, the majority of samples collected at mass testing centres were processed in NHS Wales laboratories, however, a number of these centres now use the non-NHS Wales laboratories (known as lighthouse laboratories).

Chart 2: Cumulative proportion of antigen tests authorised from NHS Wales laboratories within one, two and three calendar days as at end 27 September 2020



Source: Public Health Wales

(a) Samples collected as part of community key worker screening programmes, such as asymptomatic tests in care homes. Although the term satellite is used, some of the screening tests of asymptomatic keyworkers or residents included in this category may be conducted in person as part of wider mass and community testing. Further work is needed to fully understand this distinction and may lead to some reallocation of tests between categories in future releases.

(b) Samples collected in mass testing centres, community testing units and mobile testing units. Includes individuals not identified as asymptomatic and pre-operative screening tests.

Cumulative proportion of antigen tests authorised from NHS Wales laboratories within one, two and three calendar days as at end 27 September 2020 (MS Excel)

Since testing began up until the end of 27 September 2020:

- there have been 97,436 tests authorised as part of satellite asymptomatic screening of key workers and residents, with 25.8% of results authorised


This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

- within one calendar day and 52.9% authorised within two calendar days
- there have been 85,605 tests authorised for community and mass testing: in person, with 62.5% of results authorised within one day and 86.4% authorised within two calendar days
- there have been 104,715 tests authorised at hospital, with 81.3% of results authorised within one day and 96.9% authorised within two days

Chart 3: Proportion of antigen tests authorised in one calendar day through NHS Wales laboratories as at end 27 September 2020



Source: Public Health Wales

Proportion of antigen tests authorised in one calendar day through NHS Wales laboratories as at end 27 September 2020 (MS Excel)

In the latest week (commencing 21 September 2020):

- there have been 5,577 tests authorised as part of a key worker satellite asymptomatic screening programme, with 26.8% authorised within one day, an increase compared to the previous week
- there have been 10,188 tests authorised as part of community and mass testing in person, with 72.9% authorised within one day, an increase compared to the previous week

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

- there have been 6,767 tests authorised at hospital, with 82.5% authorised within one day, a decrease compared to the previous week

The number of tests as part of satellite asymptomatic screening of key workers and residents has fallen since the beginning of August. This coincides with a change in the care homes testing policy from weekly to fortnightly testing, with the exception of one local health board.

Tests carried out as part of satellite asymptomatic screening of key workers and residents which are authorised in NHS Wales laboratories are mainly satellite tests. However, there may be a small proportion which are in person screening of key workers at testing sites. Satellite tests are when the sample is collected in a different setting other than a testing centre, for example care homes. Once the sample has been collected a courier is requested to collect the samples and deliver to a laboratory for processing. Care homes may complete batches of tests across different staff shifts before returning the tests by courier. These methods can have an impact on the turnaround time of the test with a large number of tests included in these categories being from care homes.

Although the term satellite is used, some of the screening tests of asymptomatic keyworkers or residents included in this category may be conducted in person as part of wider mass and community testing. Further work is needed to fully understand this distinction and may lead to some reallocation of tests between categories in future releases.


The majority of tests for satellite asymptomatic screening of key workers and residents processed in NHS Wales laboratories are for care homes (92%). In the latest week 86% of asymptomatic screening of key workers were for care home staff. The breakdown is provided in the accompanying data tables.

Prior to 22 June, data was not available to provide the split between community and mass testing in person and satellite asymptomatic screening of key workers. Combined data for community testing prior to 22 June and previous week's turnaround times are included in the accompanying data tables.

Following changes in the source data provided by non-NHS Wales Laboratories, the data interpretation to allocate tests to different pathways was no longer fully

functioning. An interim solution covering the latest four weeks has been put in place while a permanent solution is being implemented by NWIS. Whilst the methodology is robust, this management information is subject to revision.

Chart 4: Cumulative proportion of antigen tests authorised from non-NHS Wales laboratories within one, two and calendar three days as at end 27 September 2020



Source: Public Health Wales

(a) Community includes samples collected at mass testing centres, community testing units and mobile testing units.

Cumulative proportion of antigen tests authorised from non-NHS Wales laboratories within one, two and calendar three days as at end 27 September 2020 (MS Excel)

Since testing began up until the end of 27 September 2020:

- there have been 202,112 organisation portal tests authorised with 23.5% of results authorised within one day and 49.3% authorised within two days
- there have been 67,394 home tests authorised, with 21.8% of results authorised within one day and 58.1% authorised within two days


This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

- there have been 145,837 tests authorised from community testing processed in non-NHS Wales laboratories, with 84.6% of results authorised within one day and 95.1% authorised within two days

Chart 5: Proportion of antigen tests authorised in one calendar day through non-NHS Wales laboratories as at end 27 September 2020



Source: Public Health Wales

Proportion of antigen tests authorised in one calendar day through non-NHS Wales laboratories as at end 27 September 2020 (MS Excel)

In the latest week of available data (commencing 21 September 2020):

- there have been 21,599 organisation portal tests authorised with 7.2% authorised within one calendar day, an increase on the previous week
- there have been 2,970 home tests authorised with 24.4% authorised within one calendar day, an increase on the previous week
- there have been 27,997 tests authorised from community tests processed in non-NHS Wales laboratories with 81.1% authorised within one calendar day. This is an increase of 25 percentage points on the previous week but still lower than the longer term trend

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

The reduction in turnaround times from 27 July for non-NHS Wales home-tests and organisation portal tests was caused by demand for repeating screening across the UK temporarily exceeding the total Lighthouse laboratory capacity. This resulted in temporary backlogs at the laboratories which impacted on end-to-end turnaround time for tests through these channels.

The number of community tests processed by non-NHS Wales laboratories has increased in recent weeks with more test centres in Wales sending samples to these laboratories to be processed instead of NHS Wales laboratories. This has coincided with an increase in demand for tests from Welsh residents with 27,997 samples authorised from test centres in the week commencing 21 September compared to 10,603 in the week commencing 24 August.

3. Critical workers and residents antigen tests

Table 2: Total number of antigen tests and results for critical workers and residents as at end 27 September 2020

Category	Total positive tests	Total negative tests	Total number of tests
Key worker: care home	1,438	115,011	116,449
Resident: care home	1,448	51,958	53,406
Resident or key worker: care home	501	199,195	199,696
Care home total	3,387	366,164	369,551
Key worker: domiciliary care	0	115	115
Domiciliary care total	0	115	115

Category	Total positive tests	Total negative tests	Total number of tests
Key worker: education	45	1,444	1,489
Resident: education	*	*	1,718
Resident or key worker: education	*	*	12
Education total	61	3,158	3,219
Key worker: emergency	163	1,215	1,378
Emergency total	163	1,215	1,378
Key worker: healthcare	6,574	31,272	37,846
Healthcare total	6,574	31,272	37,846
Key worker: hostel or supported living	22	1,101	1,123
Resident: hostel or supported living	105	5,465	5,570
Resident or key worker: hostel or supported living	11	25	36
Hostel or supported living total	138	6,591	6,729
Keyworker: prison or detention centre	*	*	199
Resident: prison or detention centre	*	*	45

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

Category	Total positive tests	Total negative tests	Total number of tests
Resident or key worker: prison or detention centre	109	541	650
Prison or detention centre total	136	758	894
Key worker: other or unknown	606	7,345	7,951
Resident: other or unknown	102	574	676
Other or unknown total	708	7,919	8,627

Source: Public Health Wales

* The data item is suppressed to avoid disclosure.

Table 2 shows the number of tests authorised for critical workers and residents where critical workers are employed in Wales authorised in NHS Wales and non-NHS Wales laboratories.

Public Health Wales are currently undertaking improvements to the critical worker and resident category in their data. This has led to revisions in the data and different categories being used compared to previous publications.

The care home portal was restructured as the organisational portal on Friday 28 August to include a wide variety of organisations – not just care homes. Previously Public Health Wales used this location category to identify tests from non-NHS Wales laboratories for care home workers and residents, however, this is not possible since the restructure to the organisation portal. From 28 August the requesting clinician field has been used to identify care home tests through the UK Organisation Portal, this is dependent on the correct codes being used, otherwise these tests will be included in the key worker or resident: other or unknown category.

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

- Around 86% of all tests for critical workers were performed on care home residents or care home workers.
- Around 17% of tests conducted for healthcare workers identified positive results.

The number of tests recorded for critical workers is dependent on the critical worker category being recorded in the system when the sample was taken. It is currently not possible to distinguish between key worker and residents for samples processed in non-NHS Wales laboratories and have been included together in the table.

It is possible to distinguish between key workers and residents for tests authorised in NHS Wales laboratories, however, it is not possible to do this for tests authorised in non-NHS Wales laboratories. For tests authorised in non-NHS Wales laboratories the location has been used to identify key workers and residents. For example, tests authorised in non-NHS Wales laboratories from samples collected at a care home are included in the Resident or key worker: care home category in Table 2.

Following changes in the source data provided by non-NHS Wales Laboratories, the data interpretation to allocate tests to different pathways was no longer fully functioning. This affected identifying some key workers and residents, specifically care home staff and residents through the organisation portal. An interim solution covering the latest four weeks has been put in place while a permanent solution is being implemented by NWIS. Whilst the methodology is robust, this management information is subject to revision.

4. Critical workers and residents antibody tests

Table 3: Total number of antibody tests and results for critical workers and residents as at end 27 September 2020

Category	Positive results	Negative results	Equivocal results	Number of tests
Key worker or resident: care home	40	220	9	269
Key worker or resident: education	1,127	19,117	17	20,261
Key worker: emergency	90	449	6	545
Key worker: healthcare	5,899	41,224	19	47,142
Key worker or resident: other or unknown	112	1,466	6	1,584
Key worker or resident: prison or detention centre	*	52	*	64
Resident: hostel or supported living	*	*	*	*
Household member of keyworker	*	*	*	7
Not specified	1,939	13,185	75	15,199

Source: Public Health Wales & NHS Wales Informatics Service (NWIS)

* The data item is suppressed to avoid disclosure.

Since testing began up until the end of 27 September 2020 there have been 20,261 antibody tests for key workers or residents in education and 47,142 antibody tests for healthcare key workers. This reflects the current sampling strategy of prioritising antibody testing for these key workers and residents. These data include 12,322 lateral flow tests.

A lateral flow test is the finger prick test currently being used by some local health boards. The remainder of antibody tests are the laboratory assay test where a sample of blood is tested in a laboratory.

The number of tests and results reflect a snapshot in time and will be greatly influenced by the sampling strategy at that moment in time. Currently antibody testing is only available to priority groups, more information is available in the [Antibody testing: coronavirus \(COVID-19\)](#) pages of our website.

If an antibody test is equivocal, it means that the result is inconclusive.

5. Background

We are publishing these data to provide a weekly summary of testing activity in Wales, including tests on critical workers, residents and the timeliness of tests. This statistical release is evolving and we appreciate feedback to improve the content.

From 13 July, Public Health Wales have combined tests and results processed in NHS Wales laboratories and non-NHS Wales laboratories, which were previously reported separately. Chart 1 and Table 1 and 2 include tests processed for Welsh residents through both NHS Wales laboratories and non-NHS Wales (Lighthouse) laboratories. Charts 2 and 3 show only tests authorised at NHS Wales laboratories and Charts 4 and 5 only shows tests authorised through non-NHS Wales laboratories. Table 2 shows antibody tests authorised through NHS Wales laboratories and lateral flow (finger prick) tests.

The data in this release is based on a mixture of dates at different stages of the testing process, such as specimen date, processing date and authorised data. Each table in the Open Data spreadsheet details the reporting timeframe.

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

Our data explainer titled [Understanding data on coronavirus \(COVID-19\) testing](#) provides further explanation on the data used including the difference in dates and data sources.

COVID-19 antibody tests are used to find out whether a person has previously had the virus. The antibody test works by taking a blood sample and testing for the presence of antibodies. Antibodies are produced by the body in response to an infection and can usually be found in the blood after around 2 weeks following infection. Some local health boards are now using lateral flow tests, which are finger prick antibody tests with the sample not analysed in a laboratory.

Antibody testing is only available to priority groups at the moment with testing prioritised for a sample of school staff who have previously worked in education hubs and healthcare workers. Further explanation of antibody testing in Wales can be found on the [Antibody testing: coronavirus \(COVID-19\)](#) page.

Data included in this release is correct at 23:59 on 27 September unless otherwise stated.

6. Quality and methodology information

Context

The data is management information which has been collected to support testing operations. We're publishing these data to provide a timely summary of testing activity but has not undergone the same level of quality assurance as official statistics, with the data subject to future revisions. This weekly summary of COVID-19 testing information from the [Public Health Wales \(PHW\) daily surveillance dashboard](#), plus further detail on the number of tests on critical workers and the location that the test sample was collected.

This information helps to monitor the impact of COVID-19 and contribute to Wales monitoring and decision-making.

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

Relevance

Public Health Wales analyse patient testing data from WLIMS as part of their disease surveillance responsibilities. In addition, these statistics are used daily for a number of other purposes:

- to understand the impact of the COVID-19 pandemic
- to support evidence-based advice on future decisions around reviews of lockdown arrangements
- contributions to Wales and UK wide monitoring and decision-making

Accuracy

Public Health Wales Communicable Disease Surveillance Centre is responsible for carrying out surveillance of respiratory infections in Wales including the coronavirus (COVID-19).

Clinical data is stored in the Welsh Laboratory Information System (WLIMS), this includes COVID-19 testing data. The data is accessed and cleansed by Public Health Wales analysts, this includes removing duplicate positive cases prior to publishing the data on their daily surveillance dashboard. The data is revised on a daily basis and is classed as provisional subject to future revision.

Different test dates have been used when reporting test data depending on the nature of the data and the use. For rapid surveillance data the authorised test date has been used and is included in the headline figures presented by Public Health Wales, whereas for detailed surveillance over time the specimen date has been used.

Further information can be found in our data explainer: [Understanding data on coronavirus \(COVID-19\) testing](#).

Timeliness and punctuality

The data in this release provides data from the 18 March 2020 and onwards.

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

Accessibility and clarity

This statistical release has been pre-announced and then published on the [Statistics and Research section of our website](#). It is accompanied by an Open Document Spreadsheet to allow users to have direct access to the data that underlies the charts in this release.

Comparability

Public Health Wales produce a [daily surveillance dashboard](#) where users can access the most up to date information on the number of tests authorised, individuals tested (testing episodes) and positive cases.

Data for [England](#) is published on the [Coronavirus \(COVID-19\) in the UK](#) pages of the GOV.UK website.

Data for Scotland is published on the [Coronavirus \(COVID-19\): daily data for Scotland](#) pages of the GOV.SCOT website.

The Department of Health and Social Care (DHSC) also publish daily information on tests and positive cases.

National Statistics status

These statistics are not National Statistics. However, as far as has been practicable, they have been collected and validated in accordance with the pillars and principles within the [Code of Practice for Statistics](#). We continue to develop the data collection and quality assurance process to improve the data.

These statistics have been produced quickly in response to developing world events.

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

Well-being of Future Generations Act

The Well-being of Future Generations Act 2015 is about improving the social, economic, environmental and cultural wellbeing of Wales. The Act puts in place seven wellbeing goals for Wales. These are for a more equal, prosperous, resilient, healthier and globally responsible Wales, with cohesive communities and a vibrant culture and thriving Welsh language. Under section (10)(1) of the Act, the Welsh Ministers must (a) publish indicators ('national indicators') that must be applied for the purpose of measuring progress towards the achievement of the wellbeing goals, and (b) lay a copy of the national indicators before the National Assembly. The 46 national indicators were laid in March 2016.

Information on the indicators, along with narratives for each of the well-being goals and associated technical information is available in the [Well-being of Wales report](#).

Further information on the [Well-being of Future Generations \(Wales\) Act 2015](#).

The statistics included in this release could also provide supporting narrative to the national indicators and be used by public services boards in relation to their local well-being assessments and local wellbeing plans.

Next update

This is currently a weekly statistical release. It will be published at 9.30am every Wednesday. We will review the frequency in line with changing user need.

The next release will be on Wednesday 7 October.

We want your feedback

We welcome any feedback on any aspect of these statistics which can be provided by email to kas.covid19@gov.wales.

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

7. Contact details

Statistician: Alex Fitzpatrick

Telephone: 0300 062 9016

Email: kas.covid19@gov.wales

Media: 0300 025 8099

SFR 158/2020

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).

About this document

This document is a copy of the web page [Testing data for coronavirus \(COVID-19\): up to 27 September 2020](#) downloaded.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

This document may not be fully accessible, for more information refer to our [accessibility statement](#).

Get [information on copyright](#).

This document was downloaded from GOV.WALES and may not be the latest version.

Go to <https://gov.wales/testing-data-coronavirus-covid-19-27-september-2020-html> for the latest version.

Get [information on copyright](#).