



Llywodraeth Cymru  
Welsh Government



GIG  
CYMRU  
NHS  
WALES

# Quality Standards for Adult Hearing Rehabilitation Services

The Assessment and Audit Tool



version 2 July 2016

## Quality Standards for Adult Hearing Rehabilitation Services Version 2 January 2016 The Assessment and Audit Tool

<b>Standard 1. Accessing the Service</b>			
<b>STANDARD STATEMENT</b>	<b>RATIONALE</b>	<b>CRITERIA</b>	<b>Examples of EVIDENCE OF COMPLIANCE</b> This list contains examples that you may wish to include as evidence. This is not an exhaustive list and you may have different forms of evidence to support your self assessment score.
<p><b>1a.</b> All patients with hearing problems and their significant other(s) who require access to Audiology services are able to:</p> <p>(i) access the correct Audiology service to meet their needs, (ii) conveniently access the services they require, (iii) see Audiology or specialist medical professionals as first</p>	<p>Direct access to Audiology services is a more effective and efficient way of meeting patients' clinical needs where there is no robust evidence of otological pathology [1][2][3][4].</p> <p>Allocation to the wrong referral pathways (or absence of alternative pathways) means additional inconvenience to the</p>	<p><b>1a.1.</b> All adult patients have access to Audiology via direct access where this is clinically indicated.</p>	<ul style="list-style-type: none"> <li>• An agreed protocol for the direct access of new and existing patients directly to Audiology.</li> <li>• Clearly defined referral criteria for both new and existing patients.</li> <li>• An audit including details of the number of new and existing patients referred to Audiology via all routes.</li> </ul>

<p>points of contact, as determined by agreed local clinical criteria, (iv) wait no longer to access Audiology by one referral route than any other.<sup>1</sup> v) wait no longer if they are an existing patient accessing the service for reassessment than a new patient accessing the service for the first time. vi) gain access to the Audiology service as quickly as other comparable medical services.</p>	<p>patient and inefficient use of time and resources [5][6].</p> <p>Correct information to an Audiology service results in more effective use of available resources [7][8][9].</p> <p>Public Health principles promote delivery of services close to patients for their ultimate health care benefit [10][11].</p>	<p><b>1a.2.</b> Information about referral criteria and pathways, including any changes, is widely disseminated to all potential referrers on a regular basis.</p>	<ul style="list-style-type: none"> <li>• Copies of at least annual communication with GPs which includes details of referral criteria.</li> <li>• Examples of regular communication with patients detailing how to access Audiology directly e.g. written patient information, posters in waiting area.</li> <li>• Corroboration by staff.</li> </ul>
	<p>Simple equity implies that no patient should wait longer for a direct referral to Audiology than they would for a referral via ENT or Audio-Vestibular Medicine [12][13].</p>	<p><b>1a.3.</b> The proximity of patients to centres delivering Audiology services is similar to other adult services in the Board/district.</p>	<ul style="list-style-type: none"> <li>• Maps of Audiology service locations and other service locations such as ophthalmology, podiatry and physiotherapy.</li> </ul>
	<p>Simple equity implies that patients who have previously accessed an Audiology service must be able to re-access it via self referral [13].</p>	<p><b>1a.4.</b> Waiting times for direct access (via GP referral or self referral) to Audiology are no longer than waiting times for patients who are referred to Audiology via ENT or Audio-Vestibular Medicine.</p>	<ul style="list-style-type: none"> <li>• Waiting time data for new patients at monthly points and covering last 12 months.</li> <li>• Will include patients seen by Audiology via GP referral and referral from ENT or AVM.</li> </ul>

<sup>1</sup> Initial referral to Audiology services can be directly from General Practitioner (GP) or from GP via Ear Nose and Throat (ENT) or Audio Vestibular Medicine (AVM). Patients should not wait longer to see Audiology directly than they would if they were referred to Audiology via ENT or AVM. Similarly, patients who need to re-access Audiology for re-assessment should be able to do so by self-referral and should wait no longer than those initial referrals referred by GPs.

		<p><b>1a.5.</b> The maximum waiting time from referral to commencement of treatment meets the national target.</p>	<ul style="list-style-type: none"> <li>• Wait times compared to national targets.</li> </ul>
<p><b>1b.</b> Service demand and referral data are accurately monitored, reviewed and reported against available indicators and used to guide service planning.</p>	<p>The number of incorrect referrals to the specialist medical route informs the effectiveness/clarity of the criteria and compliance of referrers to those criteria. Improvements can then be made to ensure that patients are not incorrectly referred to certain services [13].</p> <p>Effective allocation of health resources is reliant upon accurate information on the balance between demand for services and available resources. It is important that waiting times for all stages of the patient pathway from referral through to treatment (e.g. hearing aid fitting) for new and existing patients are collected and monitored in an effective manner. The use of IT systems to compute information such as demographic data and waiting times will inform allocation of</p>	<p><b>1b.1.</b> The appropriateness of referrals is monitored.</p>	<p><b>A report detailing:</b></p> <ul style="list-style-type: none"> <li>• The number of direct referrals to Audiology that fulfil referral criteria, including the number with problematic wax.</li> <li>• The number of patients coming to Audiology via ENT or AVM who could have come directly to Audiology.</li> <li>• The number of referrals to Audiology that require onward referral to ENT.</li> <li>• The number of self-referrals that fulfil re-assessment criteria.</li> </ul>
		<p><b>1b.2.</b> The outcome of referral monitoring is analysed and appropriate action taken.</p>	<ul style="list-style-type: none"> <li>• An action plan which will include actions related to non-compliance to referral criteria or waiting times.</li> <li>• Evidence of completed actions from previous action plans.</li> </ul>

	<p>services and help prevent an overload of patients accessing the same service and resources being strained [12][13][14][15].</p> <p>Effective allocation of resources relies upon information on actual demand and potential/projected demand for specific services [12][13][14][15].</p>	<p><b>1b.3.</b> Waiting times are monitored within the department based upon robust data collection.</p>	<ul style="list-style-type: none"> <li>• Detail of the source of waiting times data.</li> </ul>
		<p><b>1b.4.</b> Key data are identified, collected, reviewed and used in annual service review.</p>	<p><b>A report detailing:</b></p> <ul style="list-style-type: none"> <li>• the number and type of referrals to Audiology services,</li> <li>• the uptake and types of intervention in the local population compared with the predictive need for services,</li> <li>• demographics of locally served populations with relevance to hearing impairment.</li> <li>• Action plans to address any gaps that may have been identified</li> </ul>
<p><b>1c.</b> All hearing aid users have access to effective, ongoing lifetime maintenance and support.</p>	<p>To ensure effective Audiology care, agreed multidisciplinary local ear care / wax management procedures should be in place [16][17][18][19].</p> <p>Prompt access for existing hearing aid patients to a basic repair service, replacement batteries, and onward referral as necessary is required to help maintain long term use and</p>	<p><b>1c.1.</b> All patients have access to ear care / wax management services with established protocols agreed between Primary Care, Audiology and ENT services and patients</p>	<ul style="list-style-type: none"> <li>• Clear protocol that is applicable to all patients. -</li> <li>• Evidence of collaborative working to produce the protocol e.g. early drafts, stakeholder comments, meeting minutes.</li> <li>• Details of how patients are made aware of the protocol e.g. written patient information, posters. –</li> <li>• Evidence of the successful implementation of the</li> </ul>

	benefit [20][21].		protocol e.g. patient satisfaction, numbers of patients seen for wax management under protocol.
		<p><b>1c.2.</b> All hearing aid repairs are carried out within 2 working days of the repair request being received unless patient requests appointment further in the future for their own convenience. This repair can be a postal repair or a face to face/telephone request.</p> <p><b>1c.3.</b> There should be direct open access (no appointment needed) for same day repairs and battery provision in at least one location within the area covered by the service. This should be accessible throughout the core working hours of the Service.</p>	<ul style="list-style-type: none"> <li>• <i>Audit</i> of postal repair turnaround time.</li> <li>• <i>Audit</i> of waiting times for repair appointments.</li> <li>• Timetable showing daily open access clinic</li> <li>• Patient feedback</li> </ul>
		<p><b>1c.4.</b> Where Audiology services are delivered away from the main Audiology base, patients can access the repair service within a month at each location and a postal service should be available.</p>	<ul style="list-style-type: none"> <li>• <i>Audit</i> of waiting times data for repair appointments at all local clinics.</li> </ul>

		<p><b>1c.5.</b>                  Audiology departments fulfil requests for replacement batteries within 2 working days of the request being received.</p>	<ul style="list-style-type: none"> <li>• <i>Audit</i> of battery request turnaround time.</li> </ul>
		<p><b>1c.6.</b>                  Patients have access peer support from trained volunteers.</p>	<ul style="list-style-type: none"> <li>• Evidence of availability of volunteer support.</li> <li>• Data relating to the number of patients referred to and receiving volunteer support.</li> </ul>

<b>Standard 2. Communicating with Patients</b>			
<b>STANDARD STATEMENT</b>	<b>RATIONALE</b>	<b>CRITERIA with consultation comments</b>	<b>Examples of EVIDENCE OF COMPLIANCE</b> This list contains examples that you may wish to include as evidence. This is not an exhaustive list and you may have different forms of evidence to support your self assessment score.
<p><b>2a.</b> Timely and relevant two-way information is possible to meet the needs of hearing impaired patients and their significant other(s), in formats that accommodate their communicative abilities.</p>	<p>Uptake of further care will benefit from promotion of the service to patients [22][23].</p> <p>Good communication before, during and after intervention benefits patients and their significant others, through reduction in anxieties/concerns and encouraging appropriate uptake of further care and self management [24][25][26][27][28][29][30][31][32][33][34].</p> <p>Written information that is clear, up to date and in a format that is accessible to the individual facilitates understanding of the service and self management options</p>	<p><b>2a.1.</b> Individual communication needs and preferences are identified, recorded and actioned</p>	<p>Patient information screens identifying individual communication needs and preferences.</p>
		<p><b>2a.2.</b> Written information about the service, assessment procedures, types of assessment, possible interventions and clinicians involved is provided by the Audiology service for all new and existing patients at the time of notification of the appointment.</p>	<p>Written information leaflets and letters. <i>Audit</i> to check if appropriate information sent and received. Patient feedback</p>



	<p>[24][32][35][36][37].</p> <p>To avoid discrimination, services should meet the specific communication and information needs of hearing impaired patients and their significant other(s) accessing the service [38][39].</p> <p>Technology should be used to enable Audiology staff to communicate effectively with patients and to ensure that the information is given in a manner that the patient understands [32][40][41].</p>	<p><b>2a.3.</b> Written information prior to appointment includes a request to contact the department in advance if communication support is required and encouragement to invite significant other(s).</p>	<p>Written information leaflets and letters. <i>Audit</i> to check if appropriate information sent and received. Patient feedback</p>
		<p><b>2a.4.</b> During assessment, results are recorded and discussed with the patient. A written copy is offered to patients with an appropriate explanation of the results.</p>	<p><i>Audit</i>, cross checking the date of the appointment with record of test results and journal entries.</p>
		<p><b>2a.5.</b> Written information about self-management and maintenance of hearing aids is available and offered to patients.</p>	<p>For example, information about: Replacing batteries Maintaining and looking after hearing aids FAQs Hearing tactics and how to maximise the listening environment Support in the workplace</p>
		<p><b>2a.6.</b> Information is offered, by Audiology, regarding external services offered by other agencies, including volunteers, ear care, repairs and maintenance and the facility to self-refer for re-assessment.</p>	<p>Written information leaflets or letters. Patient surveys. <i>Audit</i> whether the information provided enables access to these services.</p>

		<p>This is provided verbally and offered in written form</p>	
		<p><b>2a.7.</b>                  Information is offered, by Audiology, regarding internal services provided Audiology including repair/replacement battery/wax management services. This will include information about locations and opening times.                  This is provided verbally and offered in written form</p>	<p>Written information leaflets or letters.                  Patient surveys/<i>audit</i>.</p>
		<p><b>2a.8.</b>                  All written information provided to patients, including information on websites and noticeboards, is developed in collaboration with service user groups and local corporate communications teams, and is reviewed annually.</p>	<p>Minutes of meetings to review information.                  Plain English (or similar) on all information and letters.</p>

		<p><b>2a.9.</b> An up-to-date copy of the Individual Management Plan is offered to the patient at each appointment.</p>	<p><i>Audit</i> of patients' journal entries: External audit team to view random journal entry samples.</p>
		<p><b>2a.10.</b> All staff with patient contact are deaf aware.</p>	<p>Staff training records. Written policies. Staff CPD records. Patient feedback</p>
		<p><b>2a.11.</b> Prior to their appointment, up-to-date technology is used to support communication between patients and the Audiology service (e.g. email, text phones, sms messaging, and department websites). All staff responsible for using the technology are trained on how to use it. The application of such technology reflects the advice of local user groups and individual preference.</p>	<p>Technology in place.  Patient survey.</p>
		<p><b>2a.12.</b> At clinics, up-to-date technology is used to support communication with patients.</p>	<p>Technology in place, e.g message boards, loop systems. Log of staff who have received training on use of technology. Log of regular servicing to</p>

			<p>ensure that working effectively                  Minutes of meetings.                  Patient survey.</p>
		<p><b>2a.13.</b>                  Up-to-date technology (e.g. video clips, website) is used following appointments to support the self management of technological interventions and communication needs</p>	<p>Examples of support information on website                  Examples of links to video clips</p>
		<p><b>2a.14.</b>                  Written information is available that encourages patients and their significant others to engage and communicate with the service through patient forums to facilitate planning, satisfaction auditing and information development etc.</p>	<p>Written information leaflets/posters.                  Policies.                  Minutes of meetings.</p>

<b>Standard 3. Assessment</b>			
<b>STANDARD STATEMENT</b>	<b>RATIONALE</b>	<b>CRITERIA with consultation comments</b>	<b>Examples of EVIDENCE OF COMPLIANCE</b> <b>This list contains examples that you may wish to include as evidence. This is not an exhaustive list and you may have different forms of evidence to support your self assessment score.</b>
<p><b>3a.</b> All patients receive an individually-tailored Audiological assessment which is carried out to recognised national standards, where available, and includes:</p> <ul style="list-style-type: none"> <li>• measurement of hearing impairment,</li> <li>• assessment of activity limitations related to hearing impairment,</li> <li>• evaluation of social and environmental communication and listening needs and an evaluation of attitudes, expectation, motivation and behaviours as a result of hearing impairment,</li> <li>• a relevant medical history.</li> </ul>	<p>The need for, and content of, any Individual Management Plan (IMP) requires knowledge of a patient's hearing status [25][42][43].</p> <p>The quality of assessment is more likely to be assured if undertaken in accordance with nationally recommended procedures [44][45].</p> <p>Measures are compromised if not gathered using equipment calibrated to national and international standards in a quiet test environment [45][46][47].</p> <p>A relevant medical history is</p>	<p><b>3a.1.</b> Patients are encouraged to consider the impact of their communication difficulties prior to their assessment appointment</p>	<p>Appointment letters/information Pre-assessment questionnaire</p>
		<p><b>3a.2.</b> The following are established for every patient, where clinically indicated: hearing thresholds by air and bone conduction, thresholds of uncomfortable loudness levels, additional/further diagnostic procedures as required, a relevant medical history, co-morbidities affecting condition or its management, Need for aetiological investigation.</p>	<p>Written protocols. Case <i>audit</i>. Summary of discussions about medical history, aetiology and further diagnostic assessment within journal entry that lead to development of IMP and onward referral Examples of onward referral letters</p>

<p>required to develop an IMP [48][49].</p> <p>Hearing status is a necessary prerequisite, but is not sufficient information alone to configure an IMP [25][50][51].</p> <p>Understanding the patient's activity limitations, their social and environmental communication needs, their attitudes, expectations, motivation and behaviours as a result of hearing impairment will enable an appropriate Individual Management Plan to be developed [25][52][53][54][55][56].</p> <p>Validated self-report questionnaires can support the assessment of activity limitations related to hearing impairment [25][57][58][59].</p> <p>Situation-specific structured questionnaires (e.g. Glasgow Hearing Aid Benefit Profile) have been shown to offer significant advantages in clinical settings over more general disability and handicap inventories [25][60][61][62][63].</p>	<p><b>3a.3.</b> There are written BAA/BSA recommended procedures or protocols being used by all staff in the department and these include air and bone conduction testing, thresholds of uncomfortable loudness levels, and tympanometry.</p>	<p>Written protocols.</p>
	<p><b>3a.4</b> Equipment is calibrated annually and documented to international standards, and daily checks are carried out and documented to international standards.</p>	<p>Calibration and equipment check logs/certificates. Clear protocols for calibration (daily and annually) including how and where to report faulty equipment</p>
	<p><b>3a.5.</b> Hearing tests, with the exception of domiciliary visits, are always carried out in acoustical conditions conforming to national and international standards.<sup>1</sup></p>	<p>Calibration and equipment check logs/certificates. Results of acoustic testing to demonstrate compliance with the above acoustic requirement must be available. Such ambient noise level measurements shall be made at a time when conditions are representative of those existing when audiometric tests are carried out, including operation of the air-conditioning/ heating system and lighting.</p>
	<p><b>3a.6.</b> Information relating to social circumstances; psychological impacts; communication and listening needs; co-morbidities affecting condition or its management; expectations and</p>	<p>Completed questionnaires. Case <i>audit</i> showing the gathering and recording of information outlined in 3a.5. Random samples of cases selected by auditors.</p>

		<p>motivation is routinely gathered and reported at each assessment.</p>	
		<p><b>3a.7.</b>                  Information is recorded within the clinical record in a standardised way and is used to develop the content of the IMP. Included in this information are details of why an assessment or intervention could not be carried out.</p>	<p>Relevant service policies and procedures regarding standardised gathering of information.                  Staff training</p>

<sup>1</sup> 'For air-conduction audiometry the accommodation (in use) must satisfy ISO 8253-1:1989 (E) for max permissible ambient noise levels (Lmax), testing from 250Hz to 8KHz, down to 0dBHL, with a maximum uncertainty of +2dB due to ambient noise.'

## Standard 4. Developing an Individual Management Plan

STANDARD STATEMENT	RATIONALE	CRITERIA with consultation comments	Examples of EVIDENCE OF COMPLIANCE This list contains examples that you may wish to include as evidence. This is not an exhaustive list and you may have different forms of evidence to support your self assessment score.
<p><b>4a.</b> All patients should have an individually developed plan for the management of their needs. This plan :</p> <ul style="list-style-type: none"> <li>• is initially based on information gathered at the assessment phase,</li> <li>• is determined in conjunction with the patient and/or their significant other(s),</li> <li>• is updated on an ongoing basis,</li> <li>• is accessible to the clinical team,</li> <li>• includes recommended</li> </ul>	<p>An Individual Management Plan approach is most effective if it takes into account a range of factors in addition to the type and level of hearing loss. An effective IMP relies on consultation between the Audiology professional, the hearing impaired person and his or her significant other(s). Only when all parties are committed to the joint goals is an optimal outcome achieved [25][56][64][65][66][67][68].</p>	<p><b>4a.1.</b> Within the Audiology service there is an agreed approach to IMP development.</p> <hr/> <p><b>4a.2</b> The IMP includes agreed needs, actions and outcomes.</p>	<p>Service-wide guidelines on use, development and implementation of IMPs, including reference to agreed needs, actions and outcomes. <i>Audit</i> of clinicians' compliance with service guidelines on use, development and implementation of IMPs. <i>Audit</i> of clinical records to ensure inclusion of information on each individual's hearing status, expectations, social status, options for rehab, referral to other agencies and specific goals. Results from individual clinicians'</p>



<p>interventions to best meet needs of patients.</p>	<p>To be successful, IMPs need to be flexible. Flexibility within the structure of the IMP is beneficial because the content and the goals of the IMP may change over time, reflecting the positive outcomes of interventions [56][69][70][71].</p> <p>An effective IMP will detail specific actions associated with agreed goals that take into account a listener's social, communication and listening needs, in addition to their hearing impairment and related activity limitations, e.g. living alone vs family setting vs sheltered accommodation [25][56][72][73][74].</p>	<p><b>4a.3.</b> The clinical record contains details of: auditory status, expectations, social circumstance health status – physical, vision or cognitive issues. recommended technological intervention, recommended non-technological intervention, referral to other agencies and/or services and specific goals associated with assessment information (the IMP).</p>	<p>peer review (7a.4.) demonstrating compliance with service approach to IMP use.</p>
	<p>The IMP is flexible so that different goals can be set if the patient's circumstances/environment changes [56][71][75][76].</p>	<p><b>4a.4.</b> The IMP is agreed and updated with the patient and significant other(s) at each appointment as actions are completed, new actions are agreed and new needs are identified</p>	<p>Service procedures referring to development and provision of IMP. <i>Audit of IMP provision.</i> Feedback from patients and/or significant others within service satisfaction questionnaire relating to their participation in development of agreed needs and the provision of a copy.</p>

		<p><b>4a.5.</b> The clinical record includes details of:</p> <ul style="list-style-type: none"><li>• the decision making process leading to IMP development and</li><li>• proposed timescales of IMP delivery.</li></ul>	<p>Service procedures referring to clinical record keeping. Case study <i>Audit</i> of clinical record Results from individual clinicians' peer review (7a.4.) Decisions making tools</p>
--	--	--	---

Standard 5. Implementing an Individual Management Plan			
STANDARD STATEMENT	RATIONALE	CRITERIA with consultation comments	Examples of EVIDENCE OF COMPLIANCE This list contains examples that you may wish to include as evidence. This is not an exhaustive list and you may have different forms of evidence to support your self assessment score.
<p><b>5a.</b> The Individual Management Plan is implemented over a series of appointments with the opportunity for revision of needs, actions and outcomes at each stage. The series of appointments is timely and may be multi-disciplinary.</p>	<p>Planned and coordinated intervention leads to better outcomes. Such an approach requires recording of interventions and their effectiveness to guide on-going development of the IMP [42][77].</p> <p>In order for agreed interventions to be effective, referral to another agency/service for interventions should be prompt so as to be based upon an up-to-date appraisal of need [43][78].</p>	<p><b>5a.1.</b> The clinical record and IMP includes the details, justifications and effectiveness of interventions implemented be they technological or non-technological interventions. This includes referrals to other agencies.</p>	<p>Data relating to the numbers and proportions of people being provided with and referred for technological and non-technological interventions.</p> <p>Service procedures referring to clinical record keeping.</p> <p>Case study <i>Audit</i></p> <p>Service procedures on referral to and feedback from agencies.</p> <p>Service user feedback</p>

		<p><b>5a.2.</b> Where referral to another agency/service for technological or non technological intervention is indicated, referral is made from Audiology within 7 days of appointment in at least 95% of cases.</p>	<p><i>Audit</i> of time from patient appointment to referral being sent.</p>
<p><b>5b.</b> Where provision of hearing aid(s) is required by the IMP the service ensures that:</p> <ul style="list-style-type: none"> <li>• nationally agreed procedures and protocols for fitting and verification are followed at a local level,</li> <li>• hearing aids fitted are functioning correctly,</li> <li>• patients are offered a hearing aid for each ear where clinically indicated and patients are supported to make an informed choice</li> <li>• performance of hearing aid(s) is carefully matched to individual requirements and settings are recorded.</li> </ul> <p>Where provision of hearing related assistive technology is required by the IMP the service</p>	<p>Audiologists should be confident that the aid is working to specification before fitting it to a patient so that the aid does not cause harm [79][80][81][82].</p> <p>Professional bodies and national guidelines should be followed to ensure provision meets the needs of the individual [74][77].</p> <p>Evidence suggests that hearing aids are most effective when their performance is carefully matched to the requirements of the individual [83][84][85].</p> <p>Hearing related assistive technology can be used along side or in some cases instead of hearing aids to support effective</p>	<p><b>5b.1.</b> Hearing aids are offered to all patients who have been identified as potentially benefiting from one within their IMP. Patients are supported to make an informed choice. Criteria for eligibility for hearing aids are evidence-based.</p> <p><b>5b.2.</b> Local protocols are in operation concerning selection, fitting and verification of hearing aids. These comply with the latest professional body and/or national guidance.</p>	<p>Copies of local evidence based criteria and policies <i>Audit</i> against these criteria/policies Examples of journal entries within PMS Copies of information/decision aids shared with patients relating to informed choice about hearing aids Patient survey</p> <p>Service protocols for selection, fitting and verification of hearing aids compliant with latest national guidance. <i>Audit</i> of compliance of all staff to service protocols. Results from individual clinicians' peer review (7a.4.) demonstrating compliance with service guidelines on clinical record keeping.</p>

<p>ensures that:</p> <ul style="list-style-type: none"> <li>• patients are supported to make a choice about their suitability</li> <li>• patients are effectively signposted to providers of such technologies</li> </ul>	<p>communication and in meeting individual needs [70][73][75][76].</p>	<p><b>5b.3.</b> Where identified and agreed in the IMP that bilateral aids will best meet the patient's need, 2 aids are offered and patients are supported to make an informed choice.</p>	<p>Service eligibility criteria for bilateral hearing aid fitting. <i>Audit</i> of compliance of all staff to eligibility criteria. <i>Audit</i> of IMP to include record of eligibility, individual need and patient choice. Results from individual clinicians' peer review (7a.4.) demonstrating compliance with service guidelines on clinical record keeping. Copies of information/decision aids shared with patients relating to informed choice about unilateral or bilateral hearing aids.</p>
		<p><b>5b.4.</b> Real Ear Measurement (REM) or Real Ear to Coupler Difference Difference (RECD) measurements of hearing aid performance is used to verify all hearing aid fittings.</p>	<p><i>Audit</i> to ensure use of REM to verify all hearing aid fittings.</p>
		<p><b>5b.5.</b> Where REM is contraindicated at the time of fitting, it is completed at the earliest opportunity within the patient journey.</p>	<p>Service protocol that includes contraindications to REM at first fitting and guidance on management of these patients. <i>Audit</i> of above protocol.</p>

		<p><b>5b.6.</b> REM/RECD is performed at earliest opportunity within patient pathway and adheres to BSA/BAA protocols.</p>	<p><i>Audit</i> to ensure use of REM to verify all hearing aid fittings. <i>Audit</i> to ensure compliance to BSA/BAA protocols. Service protocol that includes contraindications to REM at first fitting and guidance on management of these patients. <i>Audit</i> of above protocol.</p>
		<p><b>5b.7.</b> A subjective evaluation of the hearing aid will be performed at fitting. This will include: Sound quality, binaural balance and loudness discomfort.</p>	<p>Journal entry templates Examples of journal entries <i>Audit</i> to ensure use of subjective evaluation of hearing aids</p>
		<p><b>5b.8.</b> Hearing related assistive technology options are discussed with individuals when identified within their IMP</p>	<p>Local procedures/policies related to assistive technologies Example journal entries on PMS identifying need for assistive technologies within the IMP</p>
		<p><b>5b.9</b> Patients are effectively signposted to external agencies for demonstration or provision of assistive technologies where identified within the IMP</p>	<p>Information about local agencies supporting/providing assistive technologies Template referral letters/forms to external agencies Examples for PMS showed referral for hearing related assistive technologies</p>

<p><b>5c</b> The non-technological management of the hearing problem can be used as a sole management tool or to supplement the issuing of a hearing aid(s). Where provision of non-technological intervention is indicated, the service ensures:</p> <ul style="list-style-type: none"> <li>• Patients and their significant other(s) have timely and convenient access to appropriate intervention(s)</li> <li>• Non- technological interventions offered effectively meet the needs of patients and their significant other(s)</li> </ul>	<p>Evidence suggests a range of non instrumental aural rehabilitation interventions can improve outcomes for patients and their significant other(s). This can include improvements in function, activity, participation and quality of life through:</p> <ul style="list-style-type: none"> <li>• Increased use of aids [86][87]</li> <li>• Better speech perception in noise [88][89]</li> <li>• Lower perception of hearing handicap [87][90]</li> <li>• Improvement in psychosocial factors [75][87][90]</li> </ul> <p>Interventions shown to be effective are:</p> <ul style="list-style-type: none"> <li>• Group and/ or individual Aural Rehabilitation sessions for patients and their significant other(s) / communication partners, including information provision, clear speech training, communication tactics, counselling [86][90][91][92][93][94][95]</li> </ul>	<p><b>5c.1</b> All patients reporting hearing problems have access to appropriate non- technological intervention(s), including patients unsuitable for aiding, but reporting difficulties.</p>	<p>Service eligibility criteria for non instrumental intervention <i>Audit</i> of provision or referral against above criteria</p>
		<p><b>5c.2</b> Local protocols are in operation concerning the selection and provision/referral of appropriate non-technological intervention(s). These are informed by the current evidence base, and available interventions should include:</p> <ul style="list-style-type: none"> <li>• Group and/ or individual Aural Rehabilitation sessions for patients and their significant other(s)</li> <li>• Auditory Training</li> <li>• Lipreading classes</li> </ul>	<p>Pathways for group or individual aural rehab sessions, auditory training and lip-reading training Evidence through <i>audit</i> of appropriate provision/referral for non instrumental interventions to aural rehab sessions, auditory training and lip reading training Results from individual clinicians' peer review (7a.4.) demonstrating appropriate identification and provision/referral for non-instrumental interventions</p>

	<ul style="list-style-type: none"> <li>• Auditory training [75][92]</li> <li>• Lipreading classes [93][96][97]</li> </ul> <p>Promotion of self efficacy and management will result in increased independence [73][90][98][99]</p>	<p><b>5c.3</b> Where group and/or individual Aural Rehabilitation sessions are in use, these should include:</p> <ul style="list-style-type: none"> <li>• Encouraged participations of significant others / communication partners</li> <li>• Information provision</li> <li>• Clear speech training</li> <li>• Communication tactics</li> <li>• Counselling.</li> <li>• Self management support</li> </ul>	<p>Programme for group or individual aural rehabilitation sessions that include information provision, clear speech training, communication tactics and counselling</p>
		<p><b>5c.4</b> The service ensures that staff are aware of currently available non-technological interventions, any criteria for referral, and details of referral pathway(s).</p>	<p>Results from individual clinicians' peer review (7a.4.) demonstrating compliance with local protocols Discussions with staff during audit visit Agenda and minutes from Staff training sessions Rates of provision/referral</p>
<p><b>5d.</b> Following implementation of the IMP, a process of ongoing support and maintenance continues.</p>	<p>On-going use of and benefit from a hearing aid is likely to be increased if the process of support and maintenance includes routine Audiological reviews and potential for updating</p>	<p><b>5d.1.</b> Each patient is given a follow-up appointment following hearing aid fitting within a maximum time of 12 weeks and local protocols are used to determine the most appropriate method of follow-up.</p>	<p>Follow up waiting times Direct observation of wait times within Patient Management System (PMS) during external audit Where different methods of FU are used (e.g. face to face, telephone, group) a local protocol</p>



	<p>the IMP. Such provision is required to accommodate the changing rehabilitation needs of individuals [25][56][71][100]</p>		<p>outlining the process for determining appropriate method of FU.                  Audit against above protocol</p>
		<p><b>5d.2.</b>                  Follow-up appointments are comprehensive.</p>	<p>Local protocols for follow-up that include:</p> <ul style="list-style-type: none"> <li>• Evaluation of individual outcomes directly related to individual needs within the IMP.</li> <li>• Identification of further actions required, eg onward referral to external agencies for volunteer support, communication training etc.</li> <li>• Comfort and appropriate handling of any devices is observed.</li> <li>• Provision of advice on long-term maintenance and care.</li> <li>• Provision of information on long-term access to the service for battery replacement, repair and re-assessment.</li> <li>• Evaluation of the reports of the significant other where possible and appropriate.</li> </ul>

			<p>Data relating to the number and proportions of patients that receive follow-ups.  <i>Audit</i> of follow-up appointment to ensure compliance with all elements of comprehensive follow-up set out in local protocols.</p>
		<p><b>5d.3.</b>                  .Following fulfilment of IMP needs, all hearing aid patients are contacted every 3 years, to offer a re-assessment appointment.</p>	<p>Copies of standard invitation letters sent to patients who haven't self-referred for reassessment in 3 years.                  Current timetable bookings of patients who have responded to invitation for 3 year review.                  Data related to uptake of invitation to attend and outcomes following 3 year reviews.</p>

## Standard 6. Clinical Effectiveness

STANDARD STATEMENT	RATIONALE	CRITERIA with consultation comments	Examples of EVIDENCE OF COMPLIANCE <b>This list contains examples that you may wish to include as evidence. This is not an exhaustive list and you may have different forms of evidence to support your self assessment score.</b>
<p><b>6a.</b> The outcome and effectiveness of the Individual Management Plan are evaluated and recorded.</p> <p><b>6b.</b> Outcomes and effectiveness of the service as a whole are evaluated and recorded to identify trends and patterns which may inform service development and planning.</p>	<p>The management of hearing impairment, within a comprehensive management plan, involves more than a simple technical matter of hearing aid fitting. It involves the provision of a systematic approach, supported by evidence, which addresses not only the hearing impairment, but also other related activity limitations and consequent reductions in quality of life (QoL) [25][64][70][73][67][90][101].</p> <p>Subjective outcome measures, in the form of disease-specific questionnaires, can assess the impact of a hearing impairment on</p>	<p><b>6a.1.</b> Individual outcomes are evaluated and recorded for all patients. Outcomes are directly related to the needs within the IMP and are recorded within the IMP</p> <p><b>6a.2.</b> The outcomes contain information on the <i>extent</i> to which the specified goals have been met and include a validated quantitative measure which is appropriate for all the interventions implemented.</p>	<p><i>Audit</i> of IMP and related outcome measures Direct observation within PMS during external audit Local policies and procedures relating to recording individual outcomes Outcome statements for each need for each individual</p> <p>Quantifiable outcome scores being used for all identified needs. <i>Audit</i> of outcome tools used to measure instrumental and non instrumental interventions</p>

	<p>the patient's communication, functioning and activity limitation. This can then be used in the evaluation process to measure how effective the IMP has been [57][62][63][102][103].</p> <p>IMP's help to record multiple outcomes, such as functional benefit, satisfaction and QoL. Measurement of outcome is required to shape further progression of IMP's [25][53][67][74].</p> <p>Measurement of outcome is required to obtain feedback (including a progressive evidence base) on the effectiveness and benefit associated with the service delivered to the patient group [21][87][104][105][106].</p>	<p><b>6a.3.</b> Outcomes are used to monitor patient progress and to further develop the IMP which may result in the identification of further actions required.</p>	<p><i>Audit</i> of the development of a patient's IMP based on their individual outcomes</p>
		<p><b>6b.1.</b> Outcomes are analysed at service level to identify trends and patterns within the data and are compared against different factors.</p>	<p>Report of outcomes v factors</p> <p>Variables may include:</p> <ul style="list-style-type: none"> <li>• hearing loss</li> <li>• age</li> <li>• initial disability</li> <li>• postcode</li> <li>• expectations</li> <li>• clinic location</li> <li>• staff involved</li> <li>• use of volunteers</li> <li>• bilateral v monaural aids</li> <li>• other factors</li> </ul>

<b>Standard 7. Clinical Skills and Expertise</b>			
<b>STANDARD STATEMENT</b>	<b>RATIONALE</b>	<b>CRITERIA with consultation comments</b>	<b>Examples of EVIDENCE OF COMPLIANCE</b> <b>This list contains examples that you may wish to include as evidence. This is not an exhaustive list and you may have different forms of evidence to support your self assessment score.</b>
<p><b>7a.</b> Each service provides, within a governed team approach, the clinical competencies necessary to safely and effectively support the assessments and interventions undertaken. All tasks are undertaken within an established, nationally-agreed, competency-based framework.</p>	<p>To help ensure a safe and effective service, all people working with Audiology patients should work within their agreed Scopes of Practice and have the skills required for their contribution towards patient care [107][108][109][110].</p> <p>Regulatory Bodies' 'Standards of Proficiency' statements detail requirements for registered practitioners to remain registered. These are produced for the safe and effective practice of the professions they regulate and are</p>	<p><b>7a.1.</b> All eligible, clinical staff working in Audiology are registered with a registration body.<sup>2</sup></p>	<p>List of all staff including temporary, part time and locum Registration numbers Reasons for not registering</p>
		<p><b>7a.2.</b> Nationally-agreed Scopes of Practice are adhered to.</p>	<p><i>Audit</i> of appointments Crystal report of people v tasks Discussions with staff during external audit visit Just check job descriptions</p>
		<p><b>7a.3.</b> All volunteers are registered with a third sector organisation or managed within local Health Board volunteering policy.</p>	<p>List of volunteers and associated organisations HB volunteering policies Evidence of adherence to HB volunteering policies</p>

<sup>2</sup> This includes Clinical Scientists, Audiologists, Associates and Assistants, plus locum staff.

	<p>deemed to be the minimum standards which are necessary to protect members of the public [111][112][113][114].</p> <p>Registration bodies and some employers require demonstration of regular CPD activity. Facilities to access CPD close to the point of work and in association with colleagues is advantageous [115][116][117].</p> <p>Peer review provides a useful approach to help ensure clinical competencies are maintained [118][119].</p> <p>To ensure safe and effective outcomes for patients it is important that there are safeguards in place governing the employment and deployment of volunteers [120][121][122][123].</p>	<p><b>7a.4.</b> Local Scopes of Practice and competency based training are implemented for all volunteers</p>	<p>Volunteer scopes of practice Examples of volunteer referral form and feedback from volunteers following patient contact Volunteer training materials Volunteer competency assessment materials</p>
		<p><b>7a.5.</b> All clinical staff and volunteers participate in CPD activity.</p>	<p>Local systems for ensuring staff attend and record CPD Discussions with staff during external audit visit</p>
		<p><b>7a.6.</b> Competency is verified formally by peer review observation annually for some procedures ensuring all procedures are covered over a two year period for all clinical staff undertaking such procedures.</p>	<p>Local procedure/process for peer review Peer review checklist for all procedures and/or appointment types List of details/dates of completed peer reviews</p>
		<p><b>7a.7.</b> There is a department process for dealing with the outputs of the peer review observations.</p>	<p>Local procedure/process for peer review includes dealing with findings Evaluation of peer review observations Action plans linked to peer review observations</p>

<b>Standard 8. Collaborative Working</b>			
<b>STANDARD STATEMENT</b>	<b>RATIONALE</b>	<b>CRITERIA with consultation comments</b>	<b>Examples of EVIDENCE OF COMPLIANCE</b> This list contains examples that you may wish to include as evidence. This is not an exhaustive list and you may have different forms of evidence to support your self assessment score.
<p><b>8a.</b> Each Audiology service has in place processes and structures to ensure effective collaborative working.</p> <p>Collaborations appropriate to patient and service needs should be identified and established and may be with internal and external agencies and services.</p>	<p>Understanding the collaborations required to deliver an effective, joined up service will improve service user experience and outcomes [123][124][125][126][127][128][129][130][131].</p> <p>Having awareness of and appropriate links to specialist Audiological services, other health services, Social Services, peer and voluntary sector support is more likely to result in the hearing, communication and additional health needs of patients being met [30][90][132][133][134][135][136].</p>	<p><b>8a.1.</b> Audiology services identify a comprehensive list of the collaborative partners it needs to work with in order to provide a joined up service for service users.</p>	<p>List of collaborative partners and reasons for collaborations.</p>

	<p>Planning and coordinating services in collaboration with other relevant partners (including service users and their significant others) is more likely to result in services that better address the needs of hearing impaired patients [137][138][139][140][141].</p>	<p><b>8a.2.</b>                      Written protocols/processes are in place to support referral to other services/agencies:</p>	<p>Copies of referral protocols for the collaborative partners listed previously.                      Evidence through referral rates to collaborative partners</p>
		<p><b>8a.3.</b>                      Evaluation of individual's outcomes specific to these referrals is undertaken.</p>	<p>Patient feedback/outcome reporting                      Evidence of actions and patient outcomes following outward referral recorded within the patient record.</p>
		<p><b>8a.4.</b>                      Evaluation of service level outcomes specific to referrals to collaborative partners is undertaken and acted upon</p>	<p>Reports related to service level evaluation of outward referrals.                      Action plans linked to the above reports</p>
		<p><b>8a.5.</b>                      Audiology works strategically with collaborative partners. Membership and shared group objectives for these collaborations should be clearly stated within group Terms of Reference. There may be a number of separate collaborations relevant to different aspects of the service being provided</p>	<p>Copies of Terms of Reference (ToR) for all collaborative partnerships identified in 8a.1.                       Reference to membership and shared group objectives of the collaborations should be clearly stated within the ToR.</p>



		<p><b>8a.6.</b>                  Action plans to meet shared group objectives should be developed, implemented and monitored</p>	<p>Examples of action plans developed to deliver group objectives.                  Evidence of progress against action plans</p>
		<p><b>8a.7.</b>                  Service users are included within membership of collaborative working groups</p>	<p>Service users listed as part of the membership within Terms of Reference</p>

<b>Standard 9. Service Improvement</b>			
<b>STANDARD STATEMENT</b>	<b>RATIONALE</b>	<b>CRITERIA with consultation comments</b>	<b>Examples of EVIDENCE OF COMPLIANCE</b> <b>This list contains examples that you may wish to include as evidence. This is not an exhaustive list and you may have different forms of evidence to support your self assessment score.</b>
<p><b>9a.</b> Each service has processes in place to measure service quality.  Quality measures are used to plan and implement service improvements.</p>	<p>Measurement of qualitative and quantitative data helps to inform ongoing service improvement [106][142][143][144].</p>	<p><b>9a.1</b> The Audiology service has a framework in place to ensure ongoing collection of qualitative and quantitative data relating to service performance and service user experience and the annual reporting of this data</p>	<p>Service review framework that outlines the what, when, where and how this data will be collected and reported</p>
		<p><b>9a.2.</b>  Patients and significant others are encouraged to complete anonymous surveys on at least an annual basis to determine satisfaction with different elements of the service received.</p>	<p>Evidence of coverage that ensures an acceptable proportion of patients has participated and a representative sample of the local population is covered (including gender, ethnicity, and all locations of service delivery).  Annual self-assessment and/or external audit scores.</p>

<p><b>9b.</b> Each service has processes in place to regularly consult with patients and stakeholders.</p>	<p>Audiology services that seek, consider and respond to the views of users will be more likely to meet the needs of their patients [141][145][146][147].</p>	<p><b>9b.1.</b> The Audiology service has a mechanism in place to capture views of patients and stakeholders.</p>	<p>Local framework for consultation Agendas and minutes of consultation events</p>
		<p><b>9b.2.</b> Results of satisfaction surveys and service QRT scores remain on public display in Audiology waiting rooms and are discussed with patients on an annual basis.</p>	<p>Direct observation during external audit visit Minutes of events in 9b.1. include discussion of SSQ and ARQS</p>
<p><b>9c.</b> Each service has processes in place to keep up to date with and employ key innovations relevant to Audiology.</p>	<p>Use of up to date technology and models of service delivery is integral to effective service delivery and ongoing improvement [100][106][148][149][150][151].</p>	<p><b>9c.1.</b> The Audiology service has a systematic approach to the coordination, identification and appraisal of Audiological innovations.</p>	<p>Local procedure/policies for appraisal of innovations Examples of use of the approach (identification to implementation)</p>

<p><b>9d.</b>                  All relevant information is used to develop and implement a comprehensive service improvement plan.</p>		<p><b>9d.1.</b>                  Using all of the information gathered above, information gathering within 6b1 and the outputs of the Quality Standards visit, an ongoing programme of service improvement is in place.</p>	<p>Service improvement Plan including reference to all elements within Std 9                  Direct discussions with staff during external audit visit                  Timescales for implementation of service improvements                  Key Performance indicators for service improvements</p>
--	--	---	---

## Bibliography

Disability Discrimination Act 1995

Welsh Assembly Government, 2003. *Fundamentals of Care*. Wales: Welsh Assembly Government

Welsh Assembly Government, 2003. *Signposts 2: Putting Public and Patient Involvement into Practice in Wales*. Cardiff. Welsh Assembly Government

Welsh Assembly Government., 2005. *Designed for Life: Creating World Class Health and Social Care for Wales in the 21st Century*. Wales: Welsh Assembly Government.

Welsh Assembly Government 2006. *National Service Framework for Older People in Wales*. Wales: Welsh Assembly Government

Scottish Executive, 2007. *All Our Futures: Planning for a Scotland with an Ageing Population*. Edinburgh: Scottish Executive

Department of Health. 2007. *Improving Access to Audiology Services in England*. London: The Stationary Office.

The Equality Act 2010

Department of Health, 2010. *Equity and excellence: Liberating the NHS (White Paper)*. London: The Stationary Office.

Welsh Assembly Government, 2010. *Doing Well, Doing Better. Standards for Health Services in Wales*. Wales: Welsh Assembly Government

Patient Rights (Scotland) Act 2011

Action on Hearing Loss. 2011. *Hearing Matters*. London: Action on Hearing Loss

The Scottish Government, 2011. *Reshaping Care for Older People: A Programme for Change*. Edinburgh: The Scottish Government

Welsh Government, 2011. *Together For Health. A 5-Year Vision For The NHS in Wales*. Wales: Welsh Government

Welsh Assembly Government, 2011. *Fairer Health Outcomes For All. Reducing Inequities in Health Strategic Action Plan*. Wales: Welsh Assembly Government.

The Scottish Government, 2013. *See Hear: A strategic framework for meeting the needs of people with a sensory impairment in Scotland*. Edinburgh: The Scottish Government

Public Bodies (Joint Working) (Scotland) Act 2014

## References

[1] Swan, I.R. and Browning, G.G. 1994. A prospective evaluation of direct referral to audiology departments for hearing aids. *The Journal of Laryngology and Otology*, 108 (2), pp.120-124.

[2] Pessis, P. 2009. Direct Access: The Evolution of Hearing and Balance Health Care in the 21st Century. *Seminars in Hearing*, 30 (3), pp.222-229.

[3] Zapala, D.A., Stamper, G.C., Shelfer, J.S., Walker, D.A., Karatayli-Ozgunsoy, S., Ozgunsoy, O.B. and Hawkins, D.B. 2010. Safety of audiology direct access for medicare patients complaining of impaired hearing. *Journal of the American Academy of Audiology*, 21 (6), pp.365-379.

[4] Ralston, J.D., Martin, D.P., Anderson, M.L., Fishman, P.A., Conrad, D.A., Larson, E.B. and Grembowski, D. 2009. Group Health Cooperative's Transformation Toward Patient-Centered Access. *Medical Care Research and Review*, 66 (6), pp.703-724.

[5] Persaud, R., Hajioff, D., Georgalas, C., Bentley, M., Silva, S. and Narula, A. 2006. How we do it: An audit of Action on ENT baseline standards in otolaryngology departments in England, UK. *Clinical Otolaryngology*, 31 (4), pp.334-338

- [6] Persaud, R.A., Rennie, C.E., Mehta, N. and Narula, A.A. 2011. A repeat audit of Action on ENT baseline standards in otolaryngology departments in England, UK: how we do it. *Clinical Otolaryngology*, 36 (1), pp.77-81.
- [7] Eley, K.A. and Fitzgerald, J.E. 2010. Quality improvement in action. Direct general practitioner referrals to audiology for the provision of hearing aids: a single centre review. *Quality in Primary Care*, 18 (3), pp.201-206.
- [8] González, P. 2010. Gatekeeping versus direct-access when patient information matters. *Health Economics*, 19 (6), pp.730-754.
- [9] Grutters, J.P., van der Horst, F., Joore, M.A., Verschuure, H., Dreschler, W.A. and Anteunis, L.J. 2007. Potential barriers and facilitators for implementation of an integrated care pathway for hearing-impaired persons: an exploratory survey among patients and professionals. *BMC Health Services Research*, 7 pp.57.
- [10] McGrail, M. and Humphreys, J. 2009. The index of rural access: an innovative integrated approach for measuring primary care access. *BMC Health Services Research*, 9 (1), pp.1-12.
- [11] Christie, S. and Fone, D. 2003. Equity of access to tertiary hospitals in Wales: a travel time analysis. *Journal of Public Health*, 25 (4), pp.344-350.
- [12] Murray, M.F. 2007. Improving access to specialty care. *Joint Commission journal on quality and patient safety / Joint Commission Resources*, 33 (3), pp.125-135.
- [13] Kreindler, S.A. 2008. Watching Your Wait: Evidence-Informed Strategies for Reducing Health Care Wait Times. *Quality Management in Healthcare*, 17 (2), pp.128-135.
- [14] Harper, P.R. and Gamlin, H.M. 2003. Reduced outpatient waiting times with improved appointment scheduling: a simulation modelling approach. *OR Spectrum*, 25 (2), pp.207-222.
- [15] Lodge, A. and Bamford, D. 2008. New Development: Using Lean Techniques to Reduce Radiology Waiting Times. *Public Money & Management*, 28 (1), pp.49-52.
- [16] Pothier, D.D. and Nieuwoudt, D. 2007. Endoscopic dewaxing in the audiology department ? the Bristol experience. *Clinical Otolaryngology*, 32 (6), pp.462-464.
- [17] Guest, J.F., Greener, M.J., Robinson, A.C. and Smith, A.F. 2004. Impacted cerumen: composition, production, epidemiology and management. *QJM* 97 (8), pp.477-488
- [18] McCarter, D.F., Courtney, A.U. and Pollart, S.M. 2007. Cerumen impaction. *American Family Physician*, 75 (10), pp.1523-1528.
- [19] Roland, P.S., Smith, T.L., Schwartz, S.R., Rosenfeld, R.M., Ballachanda, B., Earll, J.M., Fayad, J., Harlor, A.D., Hirsch, B.E., Jones, S.S., Krouse, H.J., Magit, A., Nelson, C., Stutz, D.R. and Wetmore, S. 2008. Clinical practice guideline: Cerumen impaction. *Otolaryngology - Head and Neck Surgery* 139 (3 Supp 1) pp.S1-S21
- [20] Kochkin, S. 2000. MarkeTrak V: "Why my hearing aids are in the drawer": The consumers' perspective. *The Hearing Journal*, 53 (2), pp.34-41.
- [21] Kasewurm, G.A. 2005. Using support personnel frees audiologists to focus on audiology. *The Hearing Journal*, 58 (4), pp.40-44.
- [22] Oberg, M., Marcusson, J., Nagga, K. and Wressle, E. 2012. Hearing difficulties, uptake, and outcomes of hearing aids in people 85 years of age. *International Journal of Audiology*, 51 (2), pp.108-115
- [23] Department of Health., 2002. *Information Strategy for Older People in England*. London: Department of Health.
- [24] The Scottish Government 2012. *Your health, your rights The Charter of Patient Rights and Responsibilities*. Edinburgh: The Scottish Government
- [25] British Society of Audiology. 2012. "Practice Guidance. Common principles of rehabilitation for adults with hearing- and/or balance-related problems in routine audiology services. British Society of Audiology

- [26] Street Jr., R.L., Makoul, G., Arora, N.K. and Epstein, R.M. 2009. How does communication heal? Pathways linking clinician–patient communication to health outcomes. *Patient Education and Counseling*, 74 (3), pp.295-301.
- [27] Reese, J.L. and Hnath-Chisolm, T. 2005. Recognition of hearing aid orientation content by first-time users. *American Journal of Audiology*, 14 (1), pp.94-104.
- [28] Harris, M. 2005. A Simple Cure. *Working With Older People*, 9 (2), pp.37-39.
- [29] Iezzoni, L.I., O'Day, B.L., Killeen, M. and Harker, H. 2004. Communicating about health care: observations from persons who are deaf or hard of hearing. *Annals of Internal Medicine*, 140 (5), pp.356-362.
- [30] Preminger, J.E. 2003. Should significant others be encouraged to join adult group audiologic rehabilitation classes? *Journal of the American Academy of Audiology*, 14 (10), pp.545-555.
- [31] Manchaiah, V.K.C., Stephens, D., Zhao, F. and Kramer, S.E. 2012. The role of communication partners in the audiological enablement/rehabilitation of a person with hearing impairment: an overview. *Audiol Med*, 10 (1) 03/01; 2012/09, pp.21-30.
- [32] Action on Hearing Loss 2013. *Access All Areas*. London: Action on Hearing Loss
- [33] Grenness, C., Hickson, L., Laplante-Levesque, A., Meyer, C. and Davidson, B., 2015. Communication patterns in audiologic rehabilitation history-taking: audiologists, patients, and their companions. *Ear and Hearing*. Mar-Apr, 36 (2), pp. 191-204.
- [34] Grenness, C., Hickson, L., Laplante-Levesque, A., Meyer, C. and Davidson, B., 2015. The nature of communication throughout diagnosis and management planning in initial audiologic rehabilitation consultations. *Journal of the American Academy of Audiology*. Jan, 26 (1), 1, pp. 36-50.
- [35] Scottish Executive 2003. *Draft Guide to the Production and Provision of Information about Health and Healthcare Interventions*. Edinburgh: Scottish Executive
- [36] Moulton, B., Franck, L.S. and Brady, H. 2004. Ensuring Quality Information for Patients: development and preliminary validation of a new instrument to improve the quality of written health care information. *Health Expectations*, 7 (2), pp.165-175.
- [37] Department of Health., 2002. *Toolkit for Producing Patient Information*. London: HMSO
- [38] Harris, M., Bayer, A. and Tadd, W. 2002. Addressing the information needs of older patients. *Reviews in Clinical Gerontology*, 12 (01), pp.5.
- [39] Patak, L., Wilson-Stronks, A., Costello, J., Kleinpell, R.M., Henneman, E.A., Person, C. and Happ, M.B. 2009. Improving patient-provider communication: a call to action. *The Journal of Nursing Administration*, 39 (9), pp.372-376.
- [40] Barnett, S. 2002. Communication with deaf and hard-of-hearing people: a guide for medical education. *Academic Medicine : Journal of the Association of American Medical Colleges*, 77 (7), pp.694-700.
- [41] Middleton, A., Turner, G.H., Bitner-Glindzicz, M., Lewis, P., Richards, M., Clarke, A. and Stephens, D. 2010. Preferences for communication in clinic from deaf people: a cross-sectional study. *Journal of Evaluation in Clinical Practice*, 16 (4), pp.811-817.
- [42] Gatehouse, S. 2003. Rehabilitation: identification of needs, priorities and expectations, and the evaluation of benefit. *International Journal of Audiology*, 42 Suppl 2 pp. 77-83.
- [43] Pacala JT, Y.B. 2012. Hearing deficits in the older patient: "I didn't notice anything". *JAMA: The Journal of the American Medical Association*, 307 (11), pp.1185-1194
- [44] British Society of Audiology., 2011. *Recommended Procedure: Pure Tone Air and Bone Conduction Threshold Audiometry with and without Masking and Determination of Uncomfortable Loudness Levels*. British Society of Audiology.

- [45] American Speech-Language-Hearing Association. 2006. Preferred practice patterns for the profession of audiology [Preferred Practice Patterns]. Available from [www.asha.org/policy](http://www.asha.org/policy).
- [46] BS EN ISO 8253-1:2010. *Acoustics. Audiometric Test Methods. Pure-Tone Air and Bone Conduction Audiometry. EN ISO 8253-1:2010 Identical, ISO 8253-1:2010 Identical*.
- [47] Barlow, C., Davison, L., Ashmore, M. and Weinstein R. 2014. Amplitude variation in calibrated audiometer systems in Clinical Simulations. *Noise and Health*, 16 (72), pp. 299-305
- [48] Shaw, L. 1997. Protocol for Detection and Follow-Up of Hearing Loss. *Clinical Nurse Specialist*, 11 (6), pp.240-245.
- [49] Pronk, M., Kramer, S.E., Davis, A.C., Stephens, D., Smith, P.A., Thodi, C., Anteunis, L.J.C., Parazzini, M. and Grandori, F. 2011. Interventions following hearing screening in adults: A systematic descriptive review. *Int J Audiol*, 50 (9), pp.594-609.
- [50] Kiessling, J., Pichora-Fuller, M.K., Gatehouse, S., Stephens, D., Arlinger, S., Chisolm, T., Davis, A.C., Erber, N.P., Hickson, L., Holmes, A., Rosenhall, U. and von Wedel, H. 2003. Candidature for and delivery of audiological services: special needs of older people. *International Journal of Audiology*, 42 Suppl 2 pp.2S92-101.
- [51] Yueh B, Shapiro N, MacLean CH, and Shekelle PG. 2003. Screening and management of adult hearing loss in primary care: Scientific review. *JAMA: The Journal of the American Medical Association*, 289 (15), pp.1976-1985.
- [52] Falkenberg, E. 2007. Holistic Aural Rehabilitation: a Challenge. *Scandinavian Journal of Disability Research*, 9 (2), pp.78-90.
- [53] Sweetow, R.W. 2007. Instead of a hearing aid evaluation, let's assess functional communication ability. *The Hearing Journal*, 60 (9), pp.26-31.
- [54] Poost-Foroosh, L., Jennings, M.B., Shaw, L., Meston, C.N. and Cheesman, M.F. 2011. Factors in Client–Clinician Interaction That Influence Hearing Aid Adoption. *Trends in Amplification*, 15 (3), pp.127-139.
- [55] Stephens, D., Vetter, N. and Lewis, P. 2003. Investigating lifestyle factors affecting hearing aid candidature in the elderly. *International Journal of Audiology*, 42 07/03, pp.2-2s38.
- [56] Grenness, C., Hickson, L., Laplante-Levesque, A. and Davidson, B., 2014. Patient-centred audiological rehabilitation: perspectives of older adults who own hearing aids. *International Journal of Audiology*, 53 Suppl 1, pp. S68-75.
- [57] Dillon, H., James, A. and Ginis, J. 1997. Client Oriented Scale of Improvement (COSI) and its relationship to several other measures of benefit and satisfaction provided by hearing aids. *Journal of the American Academy of Audiology*, 8 (1) Feb, pp.27-43.
- [58] Kemker, B.E. and Holmes, A.E. 2004. Analysis of prefitting versus postfitting hearing aid orientation using the Glasgow Hearing Aid Benefit Profile (GHABP). *Journal of the American Academy of Audiology*, 15 (4) Apr, pp.311-323.
- [59] Tomioka, K., Ikeda, H., Hanaie, K., Morikawa, M., Iwamoto, J., Okamoto, N., Saeki, K. and Kurumatani, N. 2012. The Hearing Handicap Inventory for Elderly-Screening (HHIE-S) versus a single question: reliability, validity, and relations with quality of life measures in the elderly community, Japan. *Quality of Life Research*, 22 (5) pp.1151-1159.
- [60] Newman, C.W., Weinstein, B.E., Jacobson, G.P. and Hug, G.A. 1990. The Hearing Handicap Inventory for Adults: psychometric adequacy and audiometric correlates. *Ear and Hearing*, 11 (6), pp.430-433.
- [61] Gatehouse, S. 1999. Glasgow Hearing Aid Benefit Profile: Derivation and validation of a client-centered outcome measure for hearing-aid services. *Journal of the American Academy of Audiology*, 10 pp.80-103.
- [62] Gatehouse, S. 1999. A self-report outcome measure for the evaluation of hearing aid fittings and services. *Health Bulletin*, 57 (6), pp.424-436.



- [63] Gatehouse, S. and Noble, W. 2004. The Speech, Spatial and Qualities of Hearing Scale (SSQ). *International Journal of Audiology*, 43 (2), pp.85-99.
- [64] Ciorba, A., Bianchini, C., Pelucchi, S. and Pastore, A. 2012. The impact of hearing loss on the quality of life of elderly adults. *Clinical Interventions in Aging*, 7, pp.159-163.
- [65] Huang, Q. and Tang, J. 2010. Age-related hearing loss or presbycusis. *European Archives of Oto-Rhino-Laryngology*, 267 (8), pp.1179-1191.
- [66] Laplante-Levesque, A., Hickson, L. and Worrall, L. 2011. Predictors of rehabilitation intervention decisions in adults with acquired hearing impairment. *Journal of Speech, Language, and Hearing Research : JSLHR*, 54 (5), pp.1385-1399.
- [67] Laplante-Levesque, A., Hickson, L. and Worrall, L. 2012. What makes adults with hearing impairment take up hearing AIDS or communication programs and achieve successful outcomes? *Ear and Hearing*, 33 (1), pp.79-93.
- [68] Ekberg, K., Meyer, C., Scarinci, N., Grenness, C. and Hickson, L., 2015. Family member involvement in audiology appointments with older people with hearing impairment. *International Journal of Audiology*, 54 (2), pp. 70-76.
- [69] Wong, L.L.N., Hickson, L. and McPherson, B. 2003. Hearing aid satisfaction: what does research from the past 20 years say? *Trends In Amplification*, 7 (4), pp.117-161.
- [70] Boothroyd, A. 2007. Adult aural rehabilitation: what is it and does it work? *Trends in Amplification*, 11 (2), pp.63-71.
- [71] NHS HDL (2004)24 *Candidature guidance for adult hearing aid fitting and processing features*
- [72] Meyer, C. and Hickson, L. 2012. What factors influence help-seeking for hearing impairment and hearing aid adoption in older adults? *International Journal of Audiology*, 51 (2), pp.66-74.
- [73] Kricos, P.B. 2006. Audiologic management of older adults with hearing loss and compromised cognitive/psychoacoustic auditory processing capabilities. *Trends in Amplification*, 10 (1), pp.1-28.
- [74] American Academy of Audiology Task Force. 2006. Guidelines for the Audiologic Management of Adult Hearing Impairment. *Audiology Today*, 18 (5), pp.32-36.
- [75] Boothroyd, A. 2010. Adapting to changed hearing: the potential role of formal training. *Journal of the American Academy of Audiology*, 21 (9), pp.601-611.
- [76] Pichora-Fuller, M. and Singh, G. 2006. Effects of age on auditory and cognitive processing: implications for hearing aid fitting and audiologic rehabilitation. *Trends in Amplification*, 10 (1), pp.29-59.
- [77] Gatehouse, S., Stephens, S.D.G., Davis, A.C. and Bamford, J.M., 2001. *Good Practice Guidance for Adult Hearing Aid Fittings and Services*. Edinburgh: Scottish Executive Health Department.
- [78] Lesner, S.A. 2003. Candidacy and management of assistive listening devices: special needs of the elderly. *International Journal of Audiology*, 42 Suppl 2 pp. 2S68-76.
- [79] British Society of Audiology., 2007. *Guidance on the use of Real Ear Measurement to Verify the Fitting of Digital Signal Processing Hearing Aids*. UK: British Society of Audiology.
- [80] Acoustical Society of America., 1992. *American National Standard Testing Hearing Aids with a Broad-Band Noise Signal (ANSI S3.42-1992)*. New York City: ASA.
- [81] American National Standards Institute., 1996. *Specification of Hearing Aid Characteristics. (ANSI S3.22-1996)*. New York: American National Standards Institute.

- [82] Keidser, G., Bentler, R. and Kiessling, J. 2010. A multi-site evaluation of a proposed test for verifying hearing aid maximum output. *International Journal of Audiology*, 49 (1), pp.14-23.
- [83] Boymans, M. and Dreschler, W.A. 2012. Audiologist-driven versus patient-driven fine tuning of hearing instruments. *Trends in amplification*, 16 (1), pp.49-58.
- [84] Digiovanni, J.J. and Pratt, R.M. 2010. Verification of in situ thresholds and integrated real-ear measurements. *Journal of the American Academy of Audiology*, 21 (10), pp.663-670.
- [85] Aazh, H., Moore, B.C. and Prasher, D. 2012. The Accuracy of Matching Target Insertion Gains with Open-Fit Hearing Aids. *American Journal of Audiology*, 21 (2), pp. 175-180.
- [86] Hawkins, D.B. 2005. Effectiveness of counseling-based adult group aural rehabilitation programs: a systematic review of the evidence. *Journal of the American Academy of Audiology*, 16 (7) Jul-Aug, pp.485-493.
- [87] Knudsen, L.V., Oberg, M., Nielsen, C., Naylor, G. and Kramer, S.E. 2010. Factors influencing help seeking, hearing aid uptake, hearing aid use and satisfaction with hearing aids: a review of the literature. *Trends in Amplification*, 14 (3), pp.127-154.
- [88] Pichora-Fuller, M. Kathleen, Levitt, Harry 2012. Speech Comprehension Training and Auditory and Cognitive Processing in Older Adults *Am. J. Audiol.* 21 pp. 351-357.
- [89] Olson, A.D., Preminger, J.E. and Shinn, J.B. 2013. The Effect of LACE DVD Training in New and Experienced Hearing Aid Users. *Journal of the American Academy of Audiology*, 24, (3). pp. 214-230.
- [90] Chisolm, T.H., Abrams, H.B. and McArdle, R. 2004. Short- and long-term outcomes of adult audiological rehabilitation. *Ear and Hearing*, 25 (5), pp. 464-477.
- [91] Tye-Murray, N. & Witt, S. 1997. Communication strategies training. *Seminars in Hearing*. 18 (2) pp. 153-165.
- [92] Plant, G. 1997. Auditory Training. *Seminars in Hearing*. 18 (2) pp. 117-128.
- [93] Dell'Aringa, A. H., Adachi, E. S. & Dell'Aringa, A. R. 2007. Lip reading role in the hearing aid fitting process. *Revista Brasileira de Otorrinolaringologia*. 73 (1) pp. 95-99.
- [94] Preminger, J.E. 2011. Group audiologic rehabilitation for adults and their communication partners. *The ASHA Leader*. July 5, pp 14-17.
- [95] Caissie, R. & Tranquilla M. 2010. Enhancing conversational fluency: Training conversation partners in use of Clear Speech and other strategies. *Seminars in Hearing*, 31 (2), pp. 95-103.
- [96] Action on Hearing Loss. 2013. *Not Just Lip Service. Why it's time to recognise the value of lipreading and managing hearing loss support.* London: Action on Hearing Loss
- [97] Kaplan, H. 1997. Speechreading. *Seminars in Hearing* 18 (2) pp 129-140.
- [98] DiLollo, L.D., DiLollo, A., Mendel, L.L., English, K. and McCarthy P. 2006. Facilitating Ownership of Acquired Hearing Loss: A Narrative Therapy Approach. *Journal of Academy of Rehabilitative Audiology*. 39, pp. 49-67.
- [99] Barker, F., Mackenzie, E., Elliott, L., Jones, S. and De Lusignan, S., 2014. Interventions to improve hearing aid use in adult auditory rehabilitation. *The Cochrane Database of Systematic Reviews*, 7, pp. CD010342.
- [100] Goggins, S. and Day, J. 2009. Pilot study: Efficacy of recalling adult hearing-aid users for reassessment after three years within a publicly-funded audiology service. *International Journal of Audiology*, 48 (4), pp. 204-210.

- [101] Stark, P. and Hickson, L. 2004. Outcomes of hearing aid fitting for older people with hearing impairment and their significant others. *International Journal of Audiology*, 43 (7), pp. 390-398.
- [102] Cox, R.M. and Alexander, G.C. 1995. The abbreviated profile of hearing aid benefit. *Ear and Hearing*, 16 (2), pp. 176-186.
- [103] Cox, R.M. and Alexander, G.C. 2002. The International Outcome Inventory for Hearing Aids (IOI-HA): psychometric properties of the English version. *International Journal of Audiology*, 41 (1), pp. 30-35.
- [104] Valente M. 2006. Guideline for Audiologic Management of the Adult Patient. Hearing Care for Adults 2006. *Proceedings of the First International Adult Conference*, pp 333-340.
- [105] Silvester, K., Lendon, R., Bevan, H., Steyn, R. and Walley, P. 2004. Reducing Waiting Times in the NHS: is lack of capacity the problem? *Clinician in Management*, 12 (3) pp.105-111.
- [106] Hosford-Dunn, H. and Roeser, R. 2007. *Audiology Practice Management*. 2nd ed. New York: Thieme Medical Publishers Inc
- [107] Audiology Services Advisory Group. 2011. *Roles in Audiology*. Scotland: NHS Scotland
- [108] Department of Health. 2004. *The NHS Knowledge and Skills Framework (NHS KSF) and the Development Review Process*. London: Department of Health Publications.
- [109] Burkard, R. 2002. Educating audiologists: diversity or homogeneity? *American Journal of Audiology*, 11 (1) Jun, pp.4-6.
- [110] Sweetow, R.W., Davis, A. and Hickson, L. 2010. A Paradigm Shift in Audiology Education. *Audiology Today*, Sep Oct 2010 pp.32-36.
- [111] Goulios, H. and Patuzzi, R.B. 2008. Audiology education and practice from an international perspective. *International Journal of Audiology*, 47 (10) Oct, pp. 647-664.
- [112] Hamid, M.A. 2010. The scope of practice of auditory and vestibular medicine. *Current Opinion in Otolaryngology & Head and Neck Surgery*, 18 (5) Oct, pp. 405-406.
- [113] Walshe, K. and Benson, L. 2005. Time for radical reform. *BMJ*, 330 (7506) BMJ Publishing Group Ltd, pp.1504-1506.
- [114] Sataloff, R.T. 2012. New problems in the scope-of-practice controversy. *Ear, Nose, & Throat Jjournal*, 91 (3) Mar, pp.92-95.
- [115] Johnson, C., Danhauer, J., Dybala, P., Garner, G., Hanks, W., Meyer, D., Palmer, C. and Wilson, M. 2007. Future Perspectives in Audiology Continuing Education. *Seminars in Hearing*, 28 (1) pp.72-85.
- [116] Eason, T. 2010. Lifelong learning: fostering a culture of curiosity. *Creative Nursing*, 16 (4) pp. 155-159.
- [117] Raza, A., Coomarasamy, A. and Khan, K.S. 2009. Best evidence continuous medical education. *Archives of Gynecology and Obstetrics*, 280 (4) Oct, pp. 683-687.
- [118] Austin, Z., Marini, A., MacLeod Glover, N. and Tabak, D. 2006. Peer-mentoring workshop for continuous professional development. *American Journal of Pharmaceutical Education*, 70 (5) Oct 15, pp. 117.
- [119] Edwards, M.T. 2011. The objective impact of clinical peer review on hospital quality and safety. *American Journal of Medical Quality*, 26 (2) Mar-Apr, pp. 110-119.
- [120] Welsh Assembly Government. 2002. *Building Strong Bridges: Strengthening partnership working between the Voluntary Sector and the NHS in Wales*. Cardiff: Welsh Assembly Government

- [121] Wales Council for Voluntary Action 2004. Volunteering for Health. Report on the findings of research into the impact of volunteers working in health care settings. Cardiff: Welsh Assembly Government
- [122] Hiatt, S.W. and Jones, A.A. 2000. Volunteer services for vulnerable families and at-risk elderly. *Child Abuse & Neglect*, 24 (1) 1, pp. 141-148.
- [123] Restall, M. 2009. Volunteering and legal issues. In: Scott, R., Howlett, S. and Doyle, D. eds. *Volunteers in hospice and palliative care: A resource for voluntary service managers*. 2nd ed. Oxford: Oxford University Press, pp. 99-108.
- [124] Brown, L., Tucker, C. and Domokos, T. 2003. Evaluating the impact of integrated health and social care teams on older people living in the community. *Health & Social Care in the Community*, 11 (2) Mar, pp. 85-94.
- [125] Faulkner, M. and Davies, S. 2005. Social support in the healthcare setting: the role of volunteers. *Health & Social Care in the Community*, 13 (1) Jan, pp. 38-45.
- [126] Lyon, D., Miller, J. and Pine, K. 2006. The Castlefields Integrated Care Model: The Evidence Summarised. *Journal of Integrated Care*, 14 (1) pp. 7-12.
- [127] Nies, H. 2006. Managing effective partnerships in older people's services. *Health & Social Care in the Community*, 14 (5) pp. 391-399.
- [128] Ramsay, A., Fulop, N. and Edwards, N. 2009. The Evidence Base for Vertical Integration in Health Care. *Journal of Integrated Care*, 17 (2) pp. 3-12.
- [129] Dibb, B. and Yardley, L. 2006. How does social comparison within a self-help group influence adjustment to chronic illness? A longitudinal study. *Social Science & Medicine*, 63 (6) Sep, pp. 1602-1613.
- [130] Bally, S.J. and Bakke, M.H. 2007. A peer mentor training program for aural rehabilitation. *Trends In Amplification*, 11 (2) 06, pp. 125-131.
- [131] Carson, A.J. 1997. Evaluation of the To Hear Again Project. *Journal of Speech-Language Pathology and Audiology*, 21 (3) pp. 160-166.
- [132] Dahl, M. 1997. To Hear Again: a volunteer program in hearing health care for hard-of hearing seniors. *Journal of Speech-Language Pathology and Audiology*, 21 (3) pp. 153-159.
- [133] Abrahamson, J. 2000. Group Audiologic Rehabilitation. *Semin. Hear.*, 21 (03) pp. 227-234.
- [134] Brewer, D.M. 2001. Considerations in Measuring Effectiveness of Group Audiologic Rehabilitation Classes. *Journal- Academy of Rehabilitative Audiology*, 34 pp. 53-60.
- [135] Lesner, S.A., Thomas-Frank, S. and Klingler, M.S. 2001. Assessment of the Effectiveness of an Adult Audiologic Rehabilitation Program Using a Knowledge-Based Test and a Measure of Hearing Aid Satisfaction. *Journal- Academy of Rehabilitative Audiology*, 34 pp. 29-40.
- [136] Preminger, J.E. 2007. Issues Associated With the Measurement of Psychosocial Benefits of Group Audiologic Rehabilitation Programs. *Trends in Amplification*, 11 (2) June 01, pp. 113-123.
- [137] Taylor, K.S. and Jurma, W.E. 1999. Study suggests that group rehabilitation increases benefits. *The Hearing Journal*, 52 (9) pp. 48-54.
- [138] Kapteyn, T.S., Wijkel, D. and Hackenitz, E. 1997. The effects of involvement of the general practitioner and guidance of the hearing impaired on hearing-aid use. *British Journal of Audiology*, 31 (6) Dec, pp. 399-407.
- [139] Nachtegaal, J., Festen, J.M. and Kramer, S.E. 2011. Hearing ability and its relationship with psychosocial health, work related variables and health care use: The National Longitudinal Study on Hearing. *Audiology Research*, 1 (1) pp. 28-33.
- [140] Carson, A.J. and Pichora-Fuller, M.K. 1997. Health promotion and audiology: the community clinic link. *J Acad Rehabil Audiol*, 3 pp. 1-23
- [141] Mockford, C., Staniszewska, S., Griffiths, F. and Herron-Marx, S. 2012. The impact of patient and public involvement on UK NHS health care: a systematic review. *International Journal for Quality in Health Care*, 24 (1) February 01, pp. 28-38.

- [142] Fudge, N., Wolfe, C.D.A. and McKeivitt, C. 2008. Assessing the promise of user involvement in health service development: ethnographic study. *BMJ*, 336 (7639) BMJ Publishing Group Ltd, pp. 313-317.
- [143] Beck, L.B. 2000. The role of outcomes data in health-care resource allocation. *Ear and Hearing*, 21 (4 Suppl) Aug, pp. 89S-96S.
- [144] Bradley, E.H., Curry, L.A. and Devers, K.J. 2007. Qualitative data analysis for health services research: developing taxonomy, themes, and theory. *Health Services Research*, 42 (4) Aug, pp. 1758-1772.
- [145] Gladden, C. 2013. Getting Started in Audiology Telepractice. *Perspectives on Telepractice* 3(1)pp. 16-22.
- [146] Entwistle, V., Firnigl, D., Ryan, M., Francis, J. and Kinghorn, P. 2012. Which experiences of health care delivery matter to service users and why? A critical interpretive synthesis and conceptual map. *Journal of health services research & policy*, 17 (2) Apr, pp. 70-78.
- [147] Greenhalgh, T., Humphrey, C. and Woodard, F. 2010. User Involvement ? A Story of our Time. In: *User Involvement in Health Care*. Wiley-Blackwell, pp. 1-9
- [148] Broer, T., Nieboer, A.P. and Bal, R.A. 2010. Opening the black box of quality improvement collaboratives: an Actor-Network theory approach. *BMC health services research*, 10 Sep 8, pp. 265.
- [149] Scottish Executive. 2005. *Building a Health Service Fit for the Future Volume 2: A Guide for the NHS*. Edinburgh: Scottish Executive
- [150] Davis, A., Smith, P.A., Booth, M. and Martin, M. 2012. Diagnosing Patients with Age-Related Hearing Loss and Tinnitus: Supporting GP Clinical Engagement through Innovation and Pathway Redesign in Audiology Services," *International Journal of Otolaryngology*, vol. 2012, Article ID 290291, 5 pages, 2012. doi:10.1155/2012/290291
- [151] Sweetow, R.W. and Henderson Sabes J. 2007. Technological Advances in Aural Rehabilitation: Applications and Innovative Methods of Service Delivery. *Trends Amplif* (11) pp. 101-111.